



China

Jiangsu TÜV Product Service Ltd. – Shenzhen Branch  
6 floor, H Hall, Century Craftwork Culture Square, No. 4001, Fuqiang Road, Futian District, Shenzhen 518048, P. R. China,  
Tel. +86 755 8828 6998, Fax: +86 755 8828 5299

Competence.  
Certainty.  
Quality.

## Subject: FCC Statement

To whom it may concern,

Enclosed please find the FCC test report for project no.: 68.760.10.126.01

We suggest you to put following statement in the label to the product, when the device is so small or for such use that it is not practicable to place this statement on it, it shall be placed in prominent location in the instruction manual or pamphlet supplied to the user or, alternatively, shall be placed on the container in which the device is marketed:

**This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.**

The instruction manual shall include the following statement, placed in a prominent location in the text of the manual:

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced technician for help.

**CAUTION:** To comply with the limits of the Class B digital device, pursuant to Part 15 of the FCC Rules, this device is comply with Class B limits. All peripherals must be shielded and grounded. Operation with non-certified peripherals or non-shielded cables may results in interference to radio or reception.

**MODIFICATION:** Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the device.

Best regards,

Paul Yu  
Asst EMC Manager  
Date: 2010-08-31





Product Service

# FCC Verification

**Taiyie Technology GmbH**

**FRANKFURTER LANDSTRASSE 23  
D-61352 BAD  
HOMBURG V. D. H**

**Product: Switch Mode Power Supply**

**Model: TYT15xxxyyyyEU, TYT15xxxyyyyUK,  
TYT15xxxyyyyUV**  
("xxx" is 3 digits of number from 050 to 180 which represent output voltage from 5.0 to 18.0VDC;  
"yyyy" is 4 digits of number from 0010 to 0300 Which represent output current from 0.1 to 3.0A;  
EU stands for EU plug, UK stands for UK plug,  
UV stands for changeable plug, see page 2 for details of model number.)

**Parameters:** Rated Input : 100-240VAC, 50/60Hz, 0.5A  
Rated Output : see page 2 for details

The equipment complies with the requirements of FCC CFR Title 47 Part 15 Subpart B, which has been shown in the test report.

This attestation applies only to the particular sample of the product provided for testing.

**Report No.:** 68.760.10.126.01

Department: EMCSZX / py  
Date: 2010-08-31

Paul Yu  
Asst EMC Manager

Page 1 of 2



**Jiangsu TÜV Product Service Ltd. – Shenzhen Branch**

6<sup>th</sup> Floor, H Hall, Century Craftwork Culture Square, No. 4001, Fuqiang Road, Futian District, Shenzhen 518048, P. R. China



Product Service

# FCC Verification

## Model List

Model No.	Output Voltage (VDC)	Output Current (A)	Max. Output Power (W)	Note for "yyyy"
TYT15050yyyyEU TYT15050yyyyUK TYT15050yyyyUV	5.0	0.1-3.0	15.0	0010-0300
TYT15054yyyyEU TYT15054yyyyUK TYT15054yyyyUV	5.4	0.1-2.5	13.5	0010-0250
TYT15105yyyyEU TYT15105yyyyUK TYT15105yyyyUV	10.5	0.1-1.71	17.95	0010-0171
TYT15120yyyyEU TYT15120yyyyUK TYT15120yyyyUV	12.0	0.1-1.5	18.0	0010-0150
TYT15150yyyyEU TYT15150yyyyUK TYT15150yyyyUV	15.0	0.1-1.2	18.0	0010-0120
TYT15180yyyyEU TYT15180yyyyUK TYT15180yyyyUV	18.0	0.1-1.0	18.0	0010-0100