



Product Service

Attestation of Conformity

No. N8 10 08 61719 023

Holder of Certificate: **Taiyie Technology GmbH**

Frankfurter Landstrasse 23
61352 Bad Homburg v.d.H
GERMANY

Product: **Switch mode power supplies
(Switch Mode Power Supply)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2006/95/EC relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 682101013401



Date, 2010-08-31 (Ashley Chan)

CE After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.



Product Service

Attestation of Conformity

No. N8 10 08 61719 023

Model(s):

TYT15xxxxxyyyEU, TYT15xxxxxyyyUK, TYT15xxxxxyyyUV
("xxx" is 3 digits of number from 050 to 180 which represent output voltage from 5.0 to 18.0VDC;
"yyyy" is 4 digits of number from 0010 to 0300 which represent output current from 0.1 to 3.0A; EU stands for EU plug, UK stands for UK plug, UV stands for changeable plug, see page 3 for details of model number.)

Parameters:

Rated Input : 100-240VAC, 50/60Hz, 0.5A
Rated Output : see page 3 for details
Construction : Direct plug-in
Protection Class : II
Degree of Protection against Ingress of Dust and Liquid : IP20
Remark : Maximum operating temperature is 45°C

Tested according to:

EN 60035/A11:2008
EN 60950-1/A11:2009
EN 60335-1/A13:2008
EN 62233:2008

CERTIFICATE
No. N8 10 08 61719 023



Product Service

Model No.	Output Voltage (VDC)	Output Current (A)	Max. Output Power (W)	Note for "yyyy"
TYT15050yyyyEU TYT15050yyyyUK TYT15050yyyyUV	5.0	0.1-3.0	15.0	0010-0300
TYT15054yyyyEU TYT15054yyyyUK TYT15054yyyyUV	5.4	0.1-2.5	13.5	0010-0250
TYT15105yyyyEU TYT15105yyyyUK TYT15105yyyyUV	10.5	0.1-1.71	17.95	0010-0171
TYT15120yyyyEU TYT15120yyyyUK TYT15120yyyyUV	12.0	0.1-1.5	18.0	0010-0150
TYT15150yyyyEU TYT15150yyyyUK TYT15150yyyyUV	15.0	0.1-1.2	18.0	0010-0120
TYT15180yyyyEU TYT15180yyyyUK TYT15180yyyyUV	18.0	0.1-1.0	18.0	0010-0100