



Product Service


# CERTIFICATE

No. Z1A 10 08 61719 021

**Holder of Certificate:** **Taiyie Technology GmbH**

Frankfurter Landstrasse 23  
61352 Bad Homburg v.d.H  
GERMANY

**Certification Mark:**



**Product:**

**Switch mode power supplies  
(Switch Mode Power Supply)**

The product meets the safety and health requirements of the German Equipment and Product Safety Act section 7 subsection 1 sentence 2 GPSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

**Test report no.:**

682101013401

**Valid until:**

2015-08-30



**Date,** 2010-08-31

( Ashley Chan )

Page 1 of 3



Product Service

**CERTIFICATE**

No. Z1A 10 08 61719 021

**Model(s):**

TYT15xxxxxyyyEU, TYT15xxxxxyyyUK, TYT15xxxxxyyyUV  
 ("xxx" is 3 digits of number from 050 to 180 which represent output voltage from 5.0 to 18.0VDC;  
 "yyyy" is 4 digits of number from 0010 to 0300 which represent output current from 0.1 to 3.0A; EU stands for EU plug, UK stands for UK plug, UV stands for changeable plug, see page 3 for details of model number.)

**Parameters:**

Rated Input : 100-240V AC, 50/60Hz, 0.5A  
 Rated Output : see page 3 for details  
 Construction : Direct plug-in  
 Protection Class : II  
 Degree of Protection against Ingress of Dust and Liquid : IP20  
 Remark : Maximum operating temperature is 45°C

**Tested according to:**

EN 60665/A11:2008  
 EN 60950-1 A11:2009  
 EN 61335-1/A13:2008  
 EN 62333:2008  
 EN 76001:2008 incl. ZEK 01.2-08

**Factory(ies):**

71475

**CERTIFICATE**  
**No. Z1A 10 08 61719 021**



Product Service

Model No.	Output Voltage (VDC)	Output Current (A)	Max. Output Power (W)	Note for "yyyy"
TYT15050yyyyEU TYT15050yyyyUK TYT15050yyyyUV	5.0	0.1-3.0	15.0	0010-0300
TYT15054yyyyEU TYT15054yyyyUK TYT15054yyyyUV	5.4	0.1-2.5	13.5	0010-0250
TYT15105yyyyEU TYT15105yyyyUK TYT15105yyyyUV	10.5	0.1-1.71	17.95	0010-0171
TYT15120yyyyEU TYT15120yyyyUK TYT15120yyyyUV	12.0	0.1-1.5	18.0	0010-0150
TYT15150yyyyEU TYT15150yyyyUK TYT15150yyyyUV	15.0	0.1-1.2	18.0	0010-0120
TYT15180yyyyEU TYT15180yyyyUK TYT15180yyyyUV	18.0	0.1-1.0	18.0	0010-0100